COFFEE. WATER. DONE RIGHT.

Compliance & Facilities Record Pack

16 practical templates and guides for workplace drinks equipment.

Print the pages you need. Edit the Word version to fit your site. Keep completed records with the equipment and the organisation's own management systems.

Start with your site, not a certificate

These original templates help organise cleaning, servicing, food safety and facilities evidence. They are not a complete compliance system, legal assessment, ISO standard or certification. The site dutyholder and competent advisers must decide which documents and controls are needed.

Before using a template

Check the exact equipment instructions and site procedures. Add the site, asset, responsible person, approved method and review date. Resolve missing information before use. Do not pre-sign blank forms or use a blank template as evidence that work took place.

Guidance is UK-focused. HSE sources primarily concern Great Britain; use the relevant local regulator, including HSENI in Northern Ireland and Food Standards Scotland where applicable. Healthcare, care, education and other specialist sites need their own policies and competent review.

Store completed staff, incident and site records securely. Do not enter confidential information into a public website. Use your organisation's retention and access rules.

Issue 1.0 | Source review: 12 September 2026

Equipment support: info@cafeperfection.com · 0333 335 7905

Choose the records you need

Each document has two pages. Copy repeatable logs as needed. Page numbers below refer to this complete pack.

Ref.	Document	Pages
01	Cleaning schedule & sign-off	3–4
02	Fresh-milk fridge log	5–6
03	Equipment & service register	7–8
04	Cooler sanitisation & filter record	9–10
05	Water safety review & action log	11–12
06	Equipment risk review worksheet	13–14
07	Cleaning chemical register & review	15–16
08	Ingredient & allergen verification	17–18
09	User training & equipment handover	19–20
10	Audit evidence & document register	21–22
11	Issue & corrective action record	23–24
12	Supplier & contractor evidence request	25–26
13	Facilities resource & waste tracker	27–28
14	Drinks-service food safety review	29–30
15	Shutdown & restart planning checklist	31–32
16	ISO & facilities evidence guide	33–34

The interactive compliance hub suggests relevant documents by site and equipment. Its checklist tracks your record review; it is not a safety assessment or compliance score.

Sources are linked on each document. Follow those links for the complete official guidance and check for later changes before approval.

CP-CF-01 · DAILY CARE · 1 OF 2

Set your cleaning routine

Cleaning schedule & sign-off

Use the instructions for the exact equipment and the approved site procedure. This form does not specify chemicals, dilution, contact time or disassembly. Food businesses should link the routine to their food safety procedures.

Site / area:

Equipment / asset ID:

Procedure / manufacturer guide and revision:

Approved products / COSHH assessment reference:

Part / task	Approved method or instruction reference	Frequency / trigger	Responsible role

Tasks reserved for trained engineers:

What to do when a task cannot be completed:

Site approval / date:

Review date / earlier review triggers:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): Food Standards Agency: managing food safety | HSE: COSHH risk assessment

CP-CF-01 · DAILY CARE · 2 OF 2

Cleaning completion record

Cleaning schedule & sign-off

Record completion only after carrying out the approved task. A missed task or fault needs an action, not a retrospective tick. Repeat this sheet as needed.

Site / equipment:

Period / approved schedule reference:

Date / time	Task / instruction reference	Completed by / result	Exception / action reference

Unresolved issues / equipment taken out of use:

Manager review / date:

Corrective action record reference:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): Food Standards Agency: managing food safety | HSE: COSHH risk assessment

CP-CF-02 · FOOD & ALLERGENS · 1 OF 2

Approve the monitoring plan

Fresh-milk fridge log

GOV.UK recommends setting fridges at 5°C or below; chilled food is normally required to be at 8°C or below in England, Wales and Northern Ireland, subject to applicable exceptions. Scotland and specialist sites must check their own requirements. Use the tighter applicable product and site limits.

Site / fridge / asset ID:

Milk product / storage instructions:

Approved range and action limit (°C):

Measurement method / location:

Monitoring frequency / responsible role:

Thermometer ID / accuracy-check method:

Decide the response before an incident

Out-of-range action and escalation contact:

How affected stock is identified and handled:

Who may authorise reuse / restart:

Approved by / date / review date:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): GOV.UK: chilling and freezing food | Food Standards Agency: managing food safety | Food Standards Scotland: business guidance

CP-CF-02 · FOOD & ALLERGENS · 2 OF 2

Temperature readings & actions

Fresh-milk fridge log

Record units and the actual reading; a fridge display is not automatically a food-temperature measurement. Do not assume cooling milk again makes it safe. Follow the approved food safety procedure.

Fridge / period:

Approved range / procedure reference:

Date / time	Reading °C / method	Result / action taken	Initials / recheck

Stock action / incident reference:

Manager review / date:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): GOV.UK: chilling and freezing food | Food Standards Agency: managing food safety | Food Standards Scotland: business guidance

CP-CF-03 · EQUIPMENT & SERVICE · 1 OF 2

Know your equipment

Equipment & service register

Enter intervals from the manufacturer, contract, risk assessment or competent-person advice. Routine servicing and statutory examination are separate activities where pressure-system requirements apply.

Site / register owner:

Asset ID / location / model / serial number:

Installation / handover date / supplier:

User guide and cleaning instructions location:

Planned maintenance basis / contract reference:

Activity / inspection	Interval or due date / basis	Responsible person / provider	Evidence location

Pressure-system applicability / competent advice reference:

Electrical maintenance plan reference:

Register approved / review date:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): HSE: pressure systems and examination | HSE: portable appliance testing facts

CP-CF-03 · EQUIPMENT & SERVICE · 2 OF 2

Service history & follow-up

Equipment & service register

File the provider's actual report against the asset. This blank record is not a service certificate, safety test or written scheme of examination.

Site / asset ID:

Manufacturer / model / serial number:

Date / job ref.	Work / provider	Report location / next due	Open action / owner

Restrictions on use / person informed:

Outstanding work closed by / evidence:

Register reviewed by / date:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): HSE: pressure systems and examination | HSE: portable appliance testing facts

CP-CF-04 · WATER SAFETY · 1 OF 2

Water equipment service record

Cooler sanitisation & filter record

For a competent, authorised provider to record completed work using the equipment-specific procedure. This is not a DIY sanitisation method or evidence that the wider water system is safe.

Site / cooler / model / serial / asset ID:

Water supply / bottled arrangement:

Provider / engineer / job reference:

Approved service procedure and revision:

Sanitisation product / batch / procedure reference:

Filter type / serial or batch / installation date:

Work / checks recorded	Result / evidence reference	Exception / follow-up

Authorised return to use / name / date:

Next service basis / agreed due date:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): HSE: assess legionella risks

CP-CF-04 · WATER SAFETY · 2 OF 2

Site acceptance & record index

Cooler sanitisation & filter record

Ask the provider to explain unresolved restrictions. Use the site water safety plan for wider controls and any water-quality verification that the assessment requires.

Site / equipment / service date:

Provider report attached / document reference:

Who accepted handover / date:

Evidence to locate	Location / document reference	Action / owner / due
Service report		
Filter / sanitisation record		
Restrictions / return-to-use advice		
Site water safety review link		
Next planned visit		

Questions sent to the provider:

Responses / action closure evidence:

Manager review / date:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): HSE: assess legionella risks

CP-CF-05 · WATER SAFETY · 1 OF 2

Connect to the site water plan

Water safety review & action log

The dutyholder is responsible for a suitable legionella risk assessment. Seek competent advice where in-house knowledge is insufficient. A cooler service sheet does not replace the assessment or control scheme.

Site / dutyholder / responsible role:

Competent assessor / assessment date / reference:

Water system / equipment within scope:

Control scheme and monitoring records location:

Installation / supply or occupancy changes:

Vulnerable users / specialist site requirements:

Review question	Evidence / finding	Owner / action due
New or changed equipment considered?		
Roles and controls still suitable?		
Results / overdue actions reviewed?		
Competent reassessment needed?		

Decision / competent advice sought / date:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): HSE: assess legionella risks

CP-CF-05 · WATER SAFETY · 2 OF 2

Water-related actions

Water safety review & action log

Record actions set by the approved assessment or competent adviser. Do not invent a flushing, sampling or temperature regime from this form. Hot-water building controls are not coffee dispensing settings.

Assessment / control scheme reference:

Site / review period:

Finding / date	Action / control reference	Owner / target date	Closure evidence / review

Overdue / urgent issues escalated to:

Temporary restrictions / contingency:

Reviewed by / date:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): HSE: assess legionella risks

CP-CF-06 · WORKPLACE SAFETY · 1 OF 2

Assess the task and its users

Equipment risk review worksheet

Use as a starting worksheet, not a completed risk assessment. A competent site reviewer must identify the actual hazards, assess the risks, decide controls and check they work.

Site / task / equipment:

Assessor / people consulted / date:

People affected, including visitors and vulnerable users:

Hazard / who may be harmed	Existing controls / effectiveness	Further action / owner / due
Hot drinks / scalds		
Leaks / slips		
Electrical damage / wet area		
Access / lifting / cleaning tasks		
Other site-specific hazards		

Serious issue requiring immediate action:

Approved restrictions / escalation:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): HSE: managing risks and risk assessment

CP-CF-06 · WORKPLACE SAFETY · 2 OF 2

Review and close actions

Equipment risk review worksheet

This template deliberately does not assign a universal numerical risk score. Apply your organisation's approved method and record the rationale. Stop unsafe use and follow the site emergency process where necessary.

Assessment reference / review date:

Risk evaluation method / remaining risk decision:

Action / owner	Target / completed date	Evidence / effectiveness check

Communicated to / training required:

Approved by / date:

Next review / change triggers:

Link to incident or maintenance records:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): HSE: managing risks and risk assessment

CP-CF-07 · WORKPLACE SAFETY · 1 OF 2

Chemical and safety-data register

Cleaning chemical register & review

Use current product labels and supplier safety data sheets to identify hazards, then assess actual exposure during the work. This register and a safety data sheet are not a completed COSHH assessment.

Site / register owner / review date:

Approved cleaning tasks / equipment:

Exact product / supplier	SDS revision / location	Use / storage location	Assessment reference

Products not approved / quarantine action:

Supplier information requested / due:

Register checked by / date:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): HSE: COSHH risk assessment

CP-CF-07 · WORKPLACE SAFETY · 2 OF 2

Task-specific assessment prompts

Cleaning chemical register & review

A competent assessor must approve the controls. Do not mix products, improvise concentrations or substitute chemicals without approval. Follow the exact label, equipment instructions and approved assessment.

Product / task / assessment reference:

Who is exposed / how / frequency / duration:

Hazards / exposure routes / label and SDS reference:

Can the product or exposure be eliminated / reduced?

Process controls / ventilation / access / storage:

PPE selected and why / training required:

Spill / first-aid / emergency instructions reference:

Waste handling / incompatible materials controls:

Control effectiveness checks / further actions:

Assessor approval / review date / change triggers:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): HSE: COSHH risk assessment

CP-CF-08 · FOOD & ALLERGENS · 1 OF 2

Verify ingredients and recipes

Ingredient & allergen verification

Use current supplier information and the recipe actually served. Check substitutions, toppings, milk alternatives and shared equipment. Do not infer allergen-free status from a product name or a blank field.

Site / menu owner / review date:

Recipe / drink / revision:

Ingredient / supplier / code	Current label / specification date	Declared allergens / warnings	Verified by / date

Batch / lot / substitution traceability:

Unverified information / action before service:

Recipe approval / information location:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): Food Standards Agency: allergen guidance

CP-CF-08 · FOOD & ALLERGENS · 2 OF 2

Service and cross-contact review

Ingredient & allergen verification

This is a verification worksheet, not a pre-completed allergen declaration. Where information is uncertain, stop and obtain reliable information rather than reassuring a customer without evidence.

Recipe / equipment / review date:

Shared utensils, hoppers, milk lines and preparation areas:

Cross-contact controls / cleaning procedure reference:

How current information is given to customers:

Staff briefing / responsible person:

Change or gap	Action / owner / due	Verification / date

Authorised recipe / ingredient change decision:

Signed review / next review trigger:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): Food Standards Agency: allergen guidance

CP-CF-09 · EQUIPMENT & SERVICE · 1 OF 2

Handover and demonstration

User training & equipment handover

Training must match the person, equipment and task. Attendance alone does not show that someone can carry out a task safely. Record a practical check where appropriate.

Site / equipment / model / asset ID:

Trainer / role / date / instructions revision:

Learner / role:

Topic / task	Demonstrated / observed outcome	Further help / restrictions
Normal use and safe dispensing		
Approved user cleaning		
Ingredients / milk / allergens if applicable		
Fault reporting and stopping unsafe use		
Tasks reserved for engineers		
Where to find current instructions		

Learner / trainer acknowledgement / date:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): HSE: managing risks and risk assessment | HSE: COSHH risk assessment

CP-CF-09 · EQUIPMENT & SERVICE · 2 OF 2

Training register and follow-up

User training & equipment handover

Keep the current authorised-user list and organise refresher instruction when tasks, equipment or needs change. Store personal records in the organisation's controlled system, not on the public website.

Site / responsible manager / period:

Person / role	Equipment / task	Date / competence evidence	Refresher / action

Outstanding training / interim arrangements:

Owner / target date:

Reviewed by / date:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): HSE: managing risks and risk assessment | HSE: COSHH risk assessment

CP-CF-10 · ISO & AUDIT EVIDENCE · 1 OF 2

Index the evidence

Audit evidence & document register

Choose records relevant to your scope and applicable obligations. This suggested register is not an exhaustive legal or ISO document list and completing it does not demonstrate conformity.

Organisation / site / audit scope:

Register owner / issue / review date:

Record / document	ID / version / location	Owner / review due	Gap / action
Asset and service records			
Approved cleaning and completed logs			
Site risk / water / food safety records			
Training and handover			
Supplier / product evidence			
Corrective action and review			
Other scope-specific evidence			

Retention / access / obsolete-version arrangements:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): ISO: management systems and certification

CP-CF-10 · ISO & AUDIT EVIDENCE · 2 OF 2

Prepare for an evidence review

Audit evidence & document register

Use actual completed records, not only blank templates. The reviewer decides whether evidence is adequate. Check the standard edition, amendments and certification scope with the relevant adviser or certification body.

Review / audit date / scope / reviewer:

Check	Evidence / gap	Action owner / due
Correct asset and site identified		
Current approved instructions accessible		
Recent records complete and credible		
Missed checks and overdue work addressed		
Staff understand their responsibilities		
Actions verified, not merely marked done		

Priorities to resolve before review:

Reviewed by / date / next action review:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): ISO: management systems and certification

CP-CF-11 · ISO & AUDIT EVIDENCE · 1 OF 2

Record and contain the issue

Issue & corrective action record

This operational record does not replace emergency response, accident reporting, food withdrawal procedures or any statutory reporting decision. Follow your approved procedures first.

Site / equipment / issue reference:

Date found / reported by / source:

What happened / objective evidence:

Who or what may be affected:

Immediate containment / restrictions / person informed:

Related service / safety / food / incident record:

Likely cause / investigation evidence:

Responsible owner / target date:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): ISO: management systems and certification | HSE: managing risks and risk assessment

CP-CF-11 · ISO & AUDIT EVIDENCE · 2 OF 2

Correct, verify and learn

Issue & corrective action record

Separate fixing the immediate problem from preventing recurrence. A named reviewer should check effectiveness using evidence before closing the action.

Issue reference / owner:

Action / expected result	Owner / due / completed	Evidence / effectiveness check

Procedure / training / supplier change needed:

Effectiveness review date / reviewer / result:

Closed by / date / supporting evidence:

Further action if the problem returns:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): ISO: management systems and certification | HSE: managing risks and risk assessment

CP-CF-12 · EQUIPMENT & SERVICE · 1 OF 2

Request the right evidence

Supplier & contractor evidence request

Request only what applies to the work and site. Verify the issuer, scope, dates and relevance of any certificate. A manufacturer declaration, a service report and management-system certification are different documents.

Site / equipment / requested work:

Supplier / contact / request date / required by:

Document or confirmation	Relevant scope / requirement	Received / reference / gap
Model-specific user and cleaning instructions		
Service scope / intervals / exclusions		
Actual service and parts records		
Product specifications / allergen information		
Cleaning chemical SDS where relevant		
Competence / insurance as required by site		
Applicable declarations / examination evidence		

Requester / follow-up date:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): ISO: management systems and certification | HSE: pressure systems and examination

CP-CF-12 · EQUIPMENT & SERVICE · 2 OF 2

Contractor visit and acceptance

Supplier & contractor evidence request

Resolve access, site induction and work boundaries with the provider. The site remains responsible for its own approval process. Do not assume all providers hold the same qualifications or offer every statutory service.

Visit / job reference / equipment:

Access / induction / agreed work / site contact:

Risk assessment / method statement requirements:

Isolation / permits / affected users / contingency:

Evidence reviewed	Accepted / query / reason	Reviewer / next action

Unresolved restrictions / handover information:

Accepted by / date / follow-up due:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): ISO: management systems and certification | HSE: pressure systems and examination

CP-CF-13 · FACILITIES & RESOURCES · 1 OF 2

Set a credible baseline

Facilities resource & waste tracker

These are suggested measurement records for a site improvement project. They do not calculate a carbon footprint or prove environmental performance or ISO conformity.

Site / equipment / project owner:

Measure and unit (for example kWh, litres, kg):

Data source / meter / period / boundaries:

Occupancy / output / opening days used for comparison:

Baseline / target / reason / review date:

Period	Actual quantity / unit	Operating context / data source	Notes / confidence

Data gaps / estimates and limitations:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): ISO: environmental management | ISO: facility management

CP-CF-13 · FACILITIES & RESOURCES · 2 OF 2

Turn measurements into action

Facilities resource & waste tracker

Compare like-for-like periods and record changes in occupancy, output and equipment. Do not label reductions as carbon savings without an appropriate method, boundaries and emission factors.

Project / measure / baseline reference:

Improvement action	Owner / due	Result / measurement evidence	Next decision

Unintended effects / service or safety constraints:

Maintenance / procurement decisions informed:

Reviewed by / date:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): ISO: environmental management | ISO: facility management

CP-CF-14 · FOOD & ALLERGENS · 1 OF 2

Review the drinks process

Drinks-service food safety review

Food businesses need food safety procedures based on HACCP principles. This prompt sheet is not a complete HACCP plan and does not decide which controls are critical. Use an appropriate FSA or Food Standards Scotland system and competent advice.

Site / food safety plan reference / reviewer:

Drinks / ingredients / customers within scope:

Stage / task	Hazard to consider	Approved control / plan reference
Delivery / traceability		
Ingredient and milk storage		
Loading / preparation / dispensing		
Allergen information / shared equipment		
Cleaning and chemical residues		
Breakdown / interrupted refrigeration		

Unassessed process / stop and review action:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): Food Standards Agency: managing food safety | Food Standards Scotland: business guidance

CP-CF-14 · FOOD & ALLERGENS · 2 OF 2

Monitoring, verification and change

Drinks-service food safety review

The food safety lead must approve limits, monitoring, corrective actions and verification appropriate to the actual process. Retain the completed records with the site food safety system.

Plan / approved procedure reference:

Control / monitoring record	Owner / frequency or trigger	Action / verification reference

Ingredient / recipe / equipment changes to review:

Staff information / training needed:

Approved by / date:

Next review / verification arrangement:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): Food Standards Agency: managing food safety | Food Standards Scotland: business guidance

CP-CF-15 · EQUIPMENT & SERVICE · 1 OF 2

Plan the shutdown

Shutdown & restart planning checklist

Agree the equipment-specific procedure and site water and food safety arrangements before prolonged non-use. This checklist does not prescribe flushing, disinfection, electrical isolation or internal repairs.

Site / equipment / shutdown dates / owner:

Manufacturer shutdown instructions / revision:

Site water safety and food safety advice references:

Planning item	Approved action / responsible role	Record / confirmation
Ingredients / fresh milk / waste		
Cleaning before non-use		
Water system / occupancy controls		
Power / access / security arrangements		
Service or specialist visit before restart		

Contingency drinks provision / users informed:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): HSE: assess legionella risks | Food Standards Agency: managing food safety | HSE: pressure systems and examination

CP-CF-15 · EQUIPMENT & SERVICE · 2 OF 2

Authorise the restart

Shutdown & restart planning checklist

Do not restart on the basis of this blank sheet. Confirm the approved tasks and specialist checks have actually been completed and resolve any restriction before use.

Site / equipment / planned restart date:

Confirmation	Evidence / outcome	Owner / date
Manufacturer restart procedure completed		
Water safety requirements reviewed		
Food / milk / ingredient checks completed		
Required service / examination completed		
Leaks / damage / faults addressed		
Users briefed and instructions available		

Open restrictions / alternative provision:

Return to use authorised by / date:

Follow-up monitoring / review date:

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): HSE: assess legionella risks | Food Standards Agency: managing food safety | HSE: pressure systems and examination

CP-CF-16 · ISO & AUDIT EVIDENCE · 1 OF 2

Put equipment records in context

ISO & facilities evidence guide

This is Café Perfection's original, limited-scope guide to useful drinks-equipment records. It does not reproduce ISO standards, give clause-by-clause advice or claim certification for Café Perfection, the equipment or your site.

ISO 9001 · quality management

Suggested evidence: approved instructions, supplier checks, training, service records and verified corrective actions. Use these within the organisation's wider quality system.

ISO 14001 · environmental management

Suggested evidence: defined resource baselines, waste records and measured improvement actions. Meter readings alone do not demonstrate a complete environmental management system.

ISO 45001 · occupational health and safety

Suggested evidence: task risk reviews, training, chemical controls and contractor handover. A manager or competent adviser must determine what controls apply.

ISO 22000 · food safety management

Suggested evidence: ingredient verification, approved cleaning and milk controls linked to the site food safety plan. The pack is not a complete HACCP or food safety management system.

ISO 41001 · facility management

Suggested evidence: asset ownership, planned maintenance, provider responsibilities and action closure. Agree scope with the organisation's facilities team.

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): ISO: quality management / edition status | ISO: environmental management | ISO: occupational health and safety | ISO: food safety management | ISO: facility management | ISO: management systems and certification

CP-CF-16 · ISO & AUDIT EVIDENCE · 2 OF 2

Prepare for review, not a paper exercise

ISO & facilities evidence guide

The suggestions are thematic, not a list of mandatory ISO forms. The standards, applicable law, audit scope and competent review remain authoritative.

Use completed, controlled records

Identify the site and equipment. Use approved versions. Give each record an owner and a location. Keep actual results, explain exceptions and verify action closure. Keep confidential information in your controlled business system.

Check editions and transition arrangements

Source review: 12 September 2026. ISO lists ISO 14001:2026 as published and the next ISO 9001 edition as under publication. The ISO pages for 45001, 22000 and 41001 list their 2018 editions and amendments. Confirm the edition, amendments and any transition arrangements with your certification body before an audit.

What is not supplied here

This pack contains no accreditation marks, ISO certificate, statutory inspection certificate, water safety assessment, complete legal register or guarantee of conformity. It does not grant authority to carry out specialist work.

Ask for equipment evidence

For equipment supplied or maintained by Café Perfection, ask for the relevant available user instructions, service reports and product information. Quote the site, asset/model, date and exact document required. Scope and availability are confirmed individually.

Site review and approval required. Blank templates are not completed evidence.

Source notes (checked 12 Sep 2026): ISO: quality management / edition status | ISO: environmental management | ISO: occupational health and safety | ISO: food safety management | ISO: facility management | ISO: management systems and certification